

# Prevalence and Predictors of Self Reported Skin Disease among Farmworkers

Quirina M. Vallejos, MPH<sup>1</sup>  
Mark R. Schulz, PhD<sup>2</sup>  
Sara A. Quandt, <sup>1</sup>  
Steven R. Feldman, MD, PhD<sup>1</sup>  
Amit Verma, MPH<sup>2</sup>  
Alan B. Fleischer, Jr., MD <sup>1</sup>  
Stephen R. Rapp, PhD  
Leonardo Galvan<sup>3</sup>  
Thomas A. Arcury, PhD<sup>1</sup>

<sup>1</sup>Wake Forest University  
School of Medicine

<sup>2</sup>University of North Carolina  
at Greensboro

<sup>3</sup>North Carolina Farmworkers Project

APHA Annual Meeting  
November 5, 2007

Research funded by National Institute of Environmental Health Sciences RO1-ES012358



# Overview

---

- ❑ Study design and methods
- ❑ Cumulative prevalence of most common self-reported skin problems
- ❑ Predictors of self-reported skin problems
- ❑ Recommendations of interventions to reduce skin problems

# Methods

---

- ❑ Cohort study design, followed participants across season May – October 2005
- ❑ Structured questionnaire (Spanish)
  - Skin problem checklist
  - Personal background and work exposures
- ❑ 304 farmworkers, 45 randomly selected sites
- ❑ Interviewed 1 to 5 times at 3-week intervals
- ❑ 1048 data points

# Measures: Outcomes

- Self-reported skin problems, presence/absence:
  - Foot fungus
  - Sunburn
  - Bumps, pimples or acne
  - Itching
  - Rash
  - Nail fungus



# Measures: Predictors

- Work characteristics (previous 7 days)
  - Worked in cucumbers
  - Job tasks
    - Planting
    - Cultivating
    - Topping tobacco
    - Harvesting
    - Curing tobacco
  - Wore a rainsuit
  - Wore wet shoes or clothes
- Environment Characteristics
  - UV index



# Analysis

---

- ❑ Cumulative prevalence: counts and frequencies calculated on presence across season
- ❑ Multivariate logistic regression model for each dichotomous outcome; corrected for multiple observations per person and multiple participants per residential site

# Sample Characteristics

---

- 49% 30 or younger
- 89% completed grade 9 or lower
- Self-rated Health: 57% good or better, 43% fair or poor
- 63% H2A visa
- 15% history of hay fever or asthma

# Most Prevalent Skin Problems

- ❑ 59% prevalence:
  - Foot fungus
  - Sunburn
  
- ❑ 40%-49% prevalence:
  - Rash
  - Bumps, pimples or acne
  - Itching
  
- ❑ 30%-39% prevalence:
  - Nail fungus





# Predictors of Skin Problems

---

- Sunburn:
  - Harvested: OR 1.91 (95% CI = 1.25, 2.93)
  - Topped tobacco: OR 1.87 (95% CI = 1.31, 2.67)
  - Cured tobacco: OR 1.83 (95% CI = 1.15, 2.92)
  - Wore a rain suit: OR 1.95 (95% CI = 1.06, 3.60)
  - Low UV index: OR 0.65 (95% CI = 0.46, 0.93)
  
- Bumps, pimples and acne:
  - Worked in wet shoes/clothes: OR 1.40 (95% CI = 1.03, 1.90)
  - Worked with cucumbers: OR 2.00 (95% CI = 1.22, 3.30)
  
- Rash:
  - Worked in wet shoes/clothes: OR 2.63 (95% CI = 1.98, 3.50)

# Predictors of Skin Problems

---

## □ Itching:

- Worked with cucumbers: OR 2.60 (95% CI = 1.66, 4.08)
- Planted: OR 1.77 (95% CI = 1.11, 2.83)
- Cultivated: OR 2.05 (95% CI = 1.04, 4.03)
- Worked in wet shoes/clothes: OR 4.57 (95% CI = 3.08, 6.78)
- Wore rain suit: OR 2.77 (95% CI = 1.63, 4.74)

## □ Nail Fungus:

- Wore a rain suit: OR 1.57 (95% CI = 1.13, 2.17)

# Recommendations

---

- ❑ Decrease itching, rash, and bumps, pimples or acne by:
  - Providing gloves and breathable long sleeve shirts
  - Encouraging workers to change clothes when they are wet
  - Providing waterproof clothing that breathes – rubber rain suits too hot
  
- ❑ Decrease fungal infections by:
  - Educating workers about how fungal infections are transmitted; wearing shower shoes, dry socks and clothes
  - Give growers incentives for providing bathroom facilities that are easy to clean
  - Establish cleaning schedules; workers take turns with cleaning tasks
  
- ❑ Decrease sunburn by:
  - Educating workers about sun protection;
  - Provide sunblock