



Are Abortion Services Meeting Women's Needs in Madhya Pradesh, India?



Jeffrey Edmeades, Laura Nyblade, Erin Pearson, Christine MacAulay, Kerry MacQuarrie, Anju Malhotra International Center for Research on Women (ICRW)

Annual Meetings of the American Public Health Association, November 3-7, 2007

Copyright 2007, Jeffrey Edmeades, jedmeades@icrw.org



Key Objectives of the Study

- Identify obstacles to high-quality and affordable services
- Identify areas in which abortion and post-abortion services should focus attention



Study Setting

- Madhya Pradesh is one of India's poorest states
- Socially conservative and predominantly rural population
- Very low rates of contraceptive use:
 - Sterilization 38%
 - Temporary contraceptive methods 6.3% (NFHS-2)
- Only 300 medical centers offering official abortion services (5 per million people)






Study Design

- A mixed-method data collection methodology was used to collect the data
- Data was collected from 2,440 women aged 15-39 with at least one child
- Retrospective data was collected on
 - every pregnancy experience in a woman's reproductive history (N=9,127)
 - each abortion attempt a woman made (N=1,053), including multiple attempts within a single pregnancy.




Pathways to Abortion






Obstacles to Attempting Abortion

Reasons for Not Attempting Abortion among Women Who Wanted to End Pregnancy but Did Not






Women's Experiences with Abortion Attempts





Women's Experiences with Abortion Attempts




abortion location

abortion location




Women's Experiences with Abortion Services



Copyright 2007, Jeffrey Edmeades, jedmeades@icrw.org



Women's Experiences with Abortion Services






Women's Experiences with Abortion Services

- Over abortion attempts resulted in some complications, with a quarter reporting severe complications
 - Rural women had more complications, and required more bed rest
 - Severe complications were particularly common when women used 'other' abortion methods
- Morbidity high for all providers



Women's Post-abortion Experience

From Whom Do Women Receive Post-abortion Contraceptive Counseling?



Copyright 2007, Jeffrey Edmeades, jedmeades@icrw.org



Conclusions - Obstacles

- Primary obstacles to abortion in this context are:
 - family opposition
 - fear of side effects
 - distance/cost/accessibility
- All of these factors are more prominent in rural areas
- A significant proportion of women who do want an abortion do not attempt
- Many of the abortion attempts rely on ineffective and potentially dangerous methods



Conclusions – Target Issues

- Family Opposition
 - Why is there disagreement? How to reduce this?
 - What are continued factors leading to pronatalism among other family members?
 - Who is making decision?
- Cost/Accessibility
 - Government provision is woeful
- Safety
 - Morbidity in all settings high
- Contraceptive use
 - Use is low, and information is scarce