Applying a Strategic Information Model to Report on Results of the President's Emergency Plan for AIDS Relief (PEPFAR)

Katherine Marconi, PhD, MS, Director of Strategic Information, Office of the U.S. Global AIDS Coordinator

American Public Health Association Annual Meeting


November 5, 2007, Washington, DC





PEPFAR Worldwide Activities

U.S. President's Emergency Plan for AIDS Relief (PEPFAR) Worldwide Activities July 2006





PEPFAR GOALS

15 Focus Countries

Treat 2 million with ART

Prevent 7 million new infections

Care and support for 10 million PLWHA and AIDS orphans Total number of clients served by ART

Estimated from program data and program impact models


Total number of clients receiving HIV Care and Support (Palliative Care = general clinical care, OI, TB, HBC, other palliative) + OVC





PEPFAR CORNERSTONE

The Emergency Plan is built on four cornerstones...(4) implementing strong strategic information systems that will provide vital feedback and input to direct our continued learning and identification of best practices.

Source: PEPFAR First Annual Report to Congress, March 2005








(March)

End of Year Reporting (September) Proposed Allocations (June)



Strategic Information for the President's Emergency Plan for AIDS Relief








Trend: Treatment in the 15 Focus Countries


Number of Individuals Receiving Antiretroviral Treatment Total of both upstream and downstream USG-supported interventions



As of March 31, 2007



Trend: Care in the Fifteen Focus Countries*



Note: 2003 OVC estimate includes all OVCs in focus countries whether or not affected by AIDS.

*Source: PEPFAR Third Annual Report to Congress, 2007 (Page 22)




Population Level Impact: National Treatment Coverage Supported By All Sources*

Country	% Coverage 2003	% Coverage 2006	% Change in Coverage
Botswana	15.2%	80.4%	430%
Côte d'Ivoire	4.1%	24.9%	506%
Ethiopia	1.0%	14.4%	1369%
Guyana	12.6%	64.0%	410%
Haiti	2.9%	23.5%	707%
Kenya	1.5%	35.8%	2214%
Mozambique	1.0%	15.8%	1561%
Namibia	1.3%	64.1%	4871%
Nigeria	2.3%	10.6%	366%
Rwanda	4.4%	61.2%	1278%
South Africa	0.2%	21.4%	10773%
Tanzania	0.1%	14.1%	10905%
Uganda	6.5%	60.3%	834%
Vietnam	14.0%	26.4%	89%
Zambia	0.6%	39.1%	6139%
Total	1.9%	24.3%	1212%

*Source: PEPFAR Third Annual Report to Congress, 2007 (Page 18)

Secondary Indicators: Measuring Impact of Treatment

Estimated Cumulative Years of Life Added through FY2009 Due to PEPFAR Support for ART in Focus Countries




Note: Calculations are based on methodology developed by the WHO, 2006. Total person-years-of life added are based on the actual number of persons on ART as of September 30, 2006 and projected numbers of people to be on treatment for FY2007 and FY2008.

Source: PEPFAR Third Annual Report to Congress, 2007




Treatment: People Receiving ARV Treatment with Support from the President's Emergency Plan for AIDS Relief as of March 2007



COMBINED TOTAL =1,580,000

Treatment data for the Emergency Plan bilateral programs provided by the Office of the U.S. Global AIDS Coordinator Treatment data for the Global Fund programs provided by the Global Fund to Fight AIDS, Tuberculosis and Malaria Overlap differs by country



Copyright 2007, Katherine M. Marconi, MarconiKM@state.gov



Next Generation of Information Collection

Issues to Consider:

- National integration of planning and measurement systems.
- UNAIDS harmonized Core Set of Indicators.
- Artificial dichotomy between monitoring and reporting indicators
- Changing priorities for measurement: sustainability, gender, new prevention measures and models, intervention logic models.



Next Generation of PEPFAR Indicators

