



## Evaluation of Maternal Stress and the Use of Hair Cortisol as a Biomarker

Pat McGovern, PhD, MPH, RN Bond Professor of Environmental and Occupational Health Policy Principal Investigator, National Children's Study Center, Ramsey County School of Public Health, University of Minnesota American Public Health Association Annual Meeting November 2, 2011

## References

- Allio B, et al, Diurnal salivary cortisol patterns during pregnancy and after delivery. *Clin. Endocrinol.* 1990; 30:279-289.
- Borders A, et al. Quex-01, Self-Reported Stress and Cortisol Measurement Development of an Optimized Measure of Chronic Stress in Pregnancy, Formative Research Letter of Intent to the National Children's Study (NCS) Program Office, NICHD, 2010; Cook County, Greater Chicago NCS Study Center and Northwestern University.
- Conney C. Stress-pollution interactions. *EHP* 2011; 119: A430-A435.
- Davenport M, et al, Analysis of endogenous cortisol concentrations in the hair of rhesus macaques. *Gen. Comp. Endocrinol.*, 2006; 147:255-261.
- Dole N, et al, Maternal stress and preterm birth. Am. J. Epidemiol., 2003;157(1):14-24.
- Hogue CJR, Bremner J. Stress model for research into preterm delivery among black women. Am J Obstet Gynecol, 2005;192:47-55.
- D'Anna-Hernandez KL, et al, Hair cortisol as a retrospective marker of HPAA activity throughout pregnancy. *Physiol. Behav.*, (2011); doi:10.1016/j.physbeh.2011.02.041.
- Kalra S, et al, The relationship between stress and hair cortisol. Clin. Invest. Med., 2007; 30: E103- E107.
- Kirschbaum C, et al, Hair as a retrospective calendar of cortisol production. *Psychoneuroendocrinology*, 2009; 34:32-37.
- Kramer MS, et al, Stress pathways to spontaneous preterm birth. Am. J. Epidemiol., 2009; 160:1319-1326.
- McEwen B & Gianaros P. Stress-and allostatis-induced brain plasticity. Annu. Rev. Med., 2011; 62:431-435.
- Sauve B, et al, Measurement of cortisol in human hair as a biomarker of systemic exposure. Clin. Invest. Med., 2007; 30: E183-E191.
- Yehuda R, et al, Parental PTSD as a vulnerability factor for low cortisol trait in offspring of Holocaust survivors. *Arch. Gen. Psych.*, 2007; 64: 1040-1048.
- Yehuda R, et al, Transgenerational effects of PTSD in babies of mothers exposed to WTC attacks during pregnancy. J. Clin. Endocrinol. Metab. 2005 90:4115-4118.