

Preventing Neonatal Pollution: Protecting the Health of the Next Generation

Karin G. Russ, MS, RN
National Coordinator, Fertility and Reproductive Health Working Group
Collaborative on Health and the Environment

References

1. Beeson S, Webster GM, Shoeib M, Harner T, Benskin JP, et al. Isomer Profiles of Perfluorochemicals in Matched Maternal, Cord and House Dust Samples: Manufacturing Sources and Transplacental Transfer. *Environ Health Perspect* 2011; doi:10.1289/ehp.1003265.
2. Perera FP, Wang S, Vishnevetsky J, Zhang B, Cole KJ, et al. Polycyclic Aromatic Hydrocarbons-Aromatic DNA Adducts in Cord Blood and Behavior Scores in New York City Children. *Environ Health Perspect* 2011; 119(8): doi:10.1289/ehp.1002705.
3. Lin LC, Wang SL, Chang YC, Huang PC, Cheng JT, Su PH, Liao PC. Associations between maternal phthalate exposure and cord sex hormones in human infants. *Chemosphere*. 2011 Jan;83(8):1192-9.
4. Lin SM, Chen FA, Huang YF, Hsing LL, Chen LL, Wu LS, Liu TS, Chang-Chien GP, Chen KC, Chao HR. Negative associations between PBDE levels and thyroid hormones in cord blood. *Int J Hyg Environ Health*. 2011 Mar;214(2):115-20.
5. Herbstman JB, Sjodin A, Kurzon M, Lederman SA, Jones RS, Rauh V, Needham LL, Tang D, Niedzwiecki M, Wang RY, Perera F. Prenatal exposure to PBDEs and neurodevelopment. *Environ Health Perspect*. 2010 May;118(5):712-9.
6. Lopez-Espinosa MJ, Vizcaino E, Murcia M, Fuentes V, Garcia AM, Rebagliato M, Grimalt JO, Ballester F. Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. *J Expo Sci Environ Epidemiol*. 2010 Nov;20(7):579-88.
7. Lopez-Espinosa MJ, Vizcaino E, Murcia M, Fuentes V, Garcia AM, Rebagliato M, Grimalt JO, Ballester F. Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. *J Expo Sci Environ Epidemiol*. 2010 Nov;20(7):579-88.
8. Wu K, Xu X, Liu J, Guo Y, Li Y, Huo X. Polybrominated diphenyl ethers in umbilical cord blood and relevant factors in neonates from Guiyu, China. *Environ Sci Technol*. 2010 Jan;44(2):813-9.
9. Zhang Y, Lin L, Cao Y, Chen B, Zheng L, Ge RS. Phthalate levels and low birth weight: a nested case-control study of Chinese newborns. *J Pediatr*. 2009 Oct;155(4):500-4.
10. Brucker-Davis F, Wagner-Mahler K, Delattre I, Ducot B, Ferrari P, Bongain A, Kurzenne J-Y, Mas J-C, Fenichel P, And the Cryptorchidism Study Group from Nice A. Cryptorchidism at birth in Nice area (France) is associated with higher prenatal exposure to PCBs and DDE, as assessed by colostrum concentrations. *Hum Reprod*. 2008 Aug;23(8):1708-18.
11. Herbstman JB, Sjodin A, Apelberg BJ, Witter FR, Halden RU, Patterson DG, Panny SR, Needham LL, Goldman LR. Birth delivery mode modifies the associations between prenatal polychlorinated biphenyl (PCB) and polybrominated diphenyl ether (PBDE) and neonatal thyroid hormone levels. *Environ Health Perspect*. 2008 Oct; 116(10):1376-82.
12. Apelberg BJ, Witter FR, Herbstman JB, Calafat AM, Halden RU, et al. Cord Serum Concentrations of Perfluorooctane Sulfonate (PFOS) and Perfluorooctanoate (PFOA) in Relation to Weight and Size at Birth. *Environ Health Perspect* 2007;115(11): doi:10.1289/ehp.10334.
13. Barr DB, Bishop A, Needham LL. Concentrations of xenobiotic chemicals in the maternal-fetal unit. *Reprod Toxicol*. 2007;23(3):260-266.
14. Sagiv SK, Tolbert PE, Altshul LM, Korrick SA. Organochlorine exposures during pregnancy and infant size at birth. *Epidemiology*. 2007 Jan;18(1):120-9.

16. Maervoet J, Vermeir G, Covaci A, Van Larebeke N, Koppen G, et al. Association of Thyroid Hormone Concentrations with Levels of Organochlorine Compounds in Cord Blood of Neonates. *Environ Health Perspect* 2007; 115(12): doi:10.1289/ehp.10486.
17. Tang D, Li TY, Liu JJ, Chen YH, Qu L, Perera F. PAH-DNA adducts in cord blood and fetal and child development in a Chinese cohort. *Environ Health Perspect*. 2006 Aug;114(8):1297-300.
18. Welshons WV, Nagel SC, vom Saal FS. Large effects from small exposures III: Endocrine mechanisms mediating effects of bisphenol A at levels of human exposure. *Endocrinology*. 2006;147(6 Suppl):s56-69.
19. Perera FP, Rauh V, Whyatt RM, Tang D, Tsai WY, Bernert JT, Tu YH, Andrews H, Barr DB, Camann DE, Diaz D, Dietrich J, Reyes A, Kinney PL. A summary of recent findings on birth outcomes and developmental effects of prenatal ETS, PAH, and pesticide exposures. *Neurotoxicology*. 2005 Aug;26(4):573-87.
20. Jane Houlihan J, Kropp T, Wiles R, Gray S, Campbell, C, Greene A. Body Burden: The pollution in newborns. *Environmental Working Group. 2005 online report*.
21. Inoue K, Okada F, Ito R, Kato S, Sasaki S, et al. Perfluorooctane Sulfonate (PFOS) and Related Perfluorinated Compounds in Human Maternal and Cord Blood Samples: Assessment of PFOS Exposure in a Susceptible Population during Pregnancy. *Environ Health Perspect* 2004; 112(11): doi:10.1289/ehp.6864.
22. Dallaire F, Dewailly E, Muckle G, Ayotte P. Time trends of persistent organic pollutants and heavy metals in umbilical cord blood of Inuit infants born in Nunavik (Quebec, Canada) between 1994 and 2001. *Environ Health Perspect*. 2003 Oct;111(13):1660-4.
23. Dallaire F, Dewailly É, Laliberté C, Muckle G, Ayotte P. Temporal Trends of Organochlorine Concentrations in Umbilical Cord Blood of Newborns from the Lower North Shore of the St. Lawrence River (Québec, Canada). *Environ Health Perspect* 2002; 110(8): doi:10.1289/ehp.02110835.
24. Whyatt RM, Barr DB, Camann DE, Kinney PL, Barr JR, et al. Contemporary-Use Pesticides in Personal Air Samples during Pregnancy and Blood Samples at Delivery among Urban Minority Mothers and Newborns. *Environ Health Perspect* 2002;111(5): doi:10.1289/ehp.5768.
25. President's Cancer Panel. Reducing Environmental Cancer Risk: What We Can Do Now. 2010; Retrieved September 30, 2011 from: http://deainfo.nci.nih.gov/advisory/pcp/annualReports/pcp08-09rpt/PCP_Report_08-09_508.pdf.
26. Wu K, Xu X, Liu J, Guo Y, Li Y, Huo X. Polybrominated diphenyl ethers in umbilical cord blood and relevant factors in neonates from Guiyu, China. *Environ Sci Technol*. 2010 Jan;44(2):813-9.
27. Stein CR, Savitz DA, Dougan M. Serum levels of perfluorooctanoic acid and perfluorooctane sulfonate and pregnancy outcome. *Am J Epidemiol*. 2009 Oct;170(7):837-46.
28. Zhang Y, Lin L, Cao Y, Chen B, Zheng L, Ge RS. Phthalate levels and low birth weight: a nested case-control study of Chinese newborns. *J Pediatr*. 2009 Oct;155(4):500-4.
29. Bell ML, Ebisu K, Belanger K. Ambient air pollution and low birth weight in Connecticut and Massachusetts. *Environ Health Perspect*. 2007 Jul;115(7):1118-24.
30. Gilbreath S, Kass PH. Adverse birth outcomes associated with open dumpsites in Alaska native villages. *Am J Epidemiol*. 2006;164(6):518-528.
31. Lanphear BP, Vorhees CV, Bellinger DC. Protecting children from environmental toxins. *PLoS Med*. 2005 Mar;2(3):e61.
32. Perera FP, Tang D, Rauh V, Lester K, Tsai WY, Tu YH, Weiss L, Hoepner L, King J, Del Priore G, Lederman SA. Relationships among polycyclic aromatic hydrocarbon-DNA adducts, proximity to the World Trade Center, and effects on fetal growth. *Environ Health Perspect*. 2005 Aug;113(8):1062-7.
33. Whyatt, RM, Rauh V, Barr DB, Camann DE, Andrews HF, et al. 2004 Prenatal insecticide exposures and birth weight and length among an urban minority cohort. *Environmental Health Perspectives*. 2004;112(10):1125-1132.
34. Eskenazi B, Harley K, Bradman A, Weltzien E, Jewell NP, Barr DB, et al. Association of *in utero* organophosphate pesticide exposure and fetal growth and length of gestation in an agricultural population. *Environ Health Perspect* 2004;112:1116-1124.

35. Munger R, Isacson P, Hu S, Burns T, Hanson J, Lynch CF, Cherryholmes K, Van Dorpe P, Hausler WJ Jr. Intrauterine growth retardation in Iowa communities with herbicide-contaminated drinking water supplies. *Environ Health Perspect.* 1997;105(3):308-314.
36. Burdorf A, Brand T, Jaddoe VW, Hofman A, Mackenbach JP, Steegers EA. The effects of work-related maternal risk factors on time to pregnancy, preterm birth and birth weight: the Generation R Study. *Occup Environ Med.* 2011 Mar;68(3):197-204.
37. Meeker JD, Hu H, Cantonwine DE, Lamadrid-Figueroa H, Calafat AM, Ettinger AS, Hernandez-Avila M, Loch-Caruso R, Tellez-Rojo MM. Urinary phthalate metabolites in relation to preterm birth in Mexico city. *Environ Health Perspect.* 2009 Oct;117(10):1587.
38. Stillerman KP, Mattison DR, Giudice LC, Woodruff TJ. Environmental exposures and adverse pregnancy outcomes: a review of the science. *Reprod Sci.* 2008 Sep;15(7):631-50.
39. Fei C, McLaughlin JK, Tarone RE, Olsen J. Perfluorinated chemicals and fetal growth: a study within the Danish National Birth Cohort. *Environ Health Perspect.* 2007 Nov;115(11):1677-82.
40. Leem JH, Kaplan BM, Shim YK, Pohl HR, Gotway CA, Bullard SM, Rogers JF, Smith MM, Tylenda CA. Exposures to air pollutants during pregnancy and preterm delivery. *Environ Health Perspect.* 2006 Jun;114(6):905-10.
41. Ponce NA, Hoggatt KJ, Wilhelm M, Ritz B. Preterm birth: the interaction of traffic-related air pollution with economic hardship in Los Angeles neighborhoods. *Am J Epidemiol.* 2005;162(2):140-8.
42. Rogan WJ, Chen A. Health risks and benefits of bis(4-chlorophenyl)-1,1,1-trichloroethane (DDT). *Lancet.* 2005 Aug 27-Sep 2;366(9487):763-73.
43. Hanke W, Jurewicz J. The risk of adverse reproductive and developmental disorders due to occupational pesticide exposure: an overview of current epidemiological evidence. *Int J Occup Med Environ Health.* 2004;17(2):223-43.
44. Chen A, Rogan WJ. Nonmalarial infant deaths and DDT use for malaria control. *Emerg Infect Dis.* 2003 Aug;9(8):960-4.
45. Latini G, De Felice C, Presta G, Del Vecchio A, Paris I, Ruggieri F, Mazzeo P. In utero exposure to di-(2-ethylhexyl)phthalate and duration of human pregnancy. *Environ Health Perspect.* 2003 Nov;111(14):1783-5.
46. Longnecker MP, Klebanoff MA, Zhou H, Brock JW. Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. *Lancet.* 2001 Jul;358(9276):110-4.
47. Ren, A, Q Xinghua, L Jin, J Ma, Z Li, L Zhang, H Zhu, RH Finnell and T Zhu. Association of selected persistent organic pollutants in the placenta with risk of neural tube defects. Proceedings of the National Academy of the Sciences. 2011; Retrieved October 1, 2001 from: <http://dx.doi.org/10.1073/pnas.1105209108>.
48. Collaborative on Health and the Environment. Toxicant and Disease Database: Congenital malformations. 2011; Retrieved June 30, 2011 from: <http://www.healthandenvironment.org/tddb/disease/763>.
49. Center for Disease Control & Prevention. Birth defects- Exposure and risk. 2010; Retrieved June 30, 2011 from: <http://ephtracking.cdc.gov/showBdExposureRisk.action>
50. Hunt PA, Koehler KE, Susiarjo M, Hodges CA, Ilagan A, Voigt RC, Thomas S, Thomas BF, Hassold TJ. Bisphenol a exposure causes meiotic aneuploidy in the female mouse. *Curr Biol.* 2003 Apr;13(7):546-553.
51. Brender, JD, M Felkner, L Suarez, MA Canfield and JP Henry. Maternal pesticide exposure and neural tube defects in Mexican Americans. *Annals of Epidemiology.* 2010; 20(1):16-22.
52. Lacasaña, M, H Vázquez-Grameix, VH Borja-Aburto, J Blanco-Muñoz, I Romieu, C Aguilar-Garduño and AM García. Maternal and paternal occupational exposure to agricultural work and the risk of anencephaly. *Occupational and Environmental Medicine.* 2006; 63(10):649-56.
53. March of Dimes Foundation. Global Report on Birth Defects: The Hidden Toll of Dying and Disabled Children. 2006; Retrieved September 30, 2011 from: http://www.marchofdimes.com/aboutus/15796_18678.asp.

54. Naufal, Z, L Zhiwen, L Zhu, GD Zhou, T McDonald, LY He, L Mitchell, A Ren, H Zhu, R Finnell and KC Donnelly. Biomarkers of exposure to combustion by-products in a human population in Shanxi, China. *Journal of Exposure Science and Environmental Epidemiology*. 2010; 20(4):310-9.
55. Rull, RP, B Ritz and GM Shaw. Neural tube defects and maternal residential proximity to agricultural pesticide applications. *American Journal of Epidemiology*. 2006; 163(8):743-53.
56. Gascon M, Vrijheid M, Martinez D, Forns J, Grimalt JO, Torrent M, Sunyer J. Effects of pre and postnatal exposure to low levels of polybromodiphenyl ethers on neurodevelopment and thyroid hormone levels at 4 years of age. *Environ Int*. 2011 Jan;37(3):605-11.
57. Chevrier J, Eskenazi B, Holland N, Bradman A, Barr DB. Effects of exposure to polychlorinated biphenyls and organochlorine pesticides on thyroid function during pregnancy. *Am J Epidemiol*. 2008 Aug; 168(3):298-310.
58. Engel SM, Wettmur J, Chen J, Zhu C, Barr DB, Canfield RL, et al. Prenatal exposure to organophosphates, paraoxonase 1, and cognitive development in childhood. *Environ Health Perspect* 2011; 119:1182-1188; doi:10.1289/ehp.1003183.
59. Kim Y, Ha E-H, Kim E-J, Park H, Ha M, et al. Prenatal Exposure to Phthalates and Infant Development at 6 Months: Prospective Mothers and Children's Environmental Health (MOCEH) Study. *Environ Health Perspect* 2011; 119(10): doi:10.1289/ehp.1003178.
60. Herbstman JB, Sjödin A, Kurzon M, Lederman SA, Jones RS, Rauh V, Needham LL, Tang D, Niedzwiecki M, Wang RY, Perera F. Prenatal exposure to PBDEs and neurodevelopment. *Environ Health Perspect*. 2010 May;118(5):712-9. Epub 2010 Jan 4.
61. Eskenazi B, Chevrier J, Rosas LG, Anderson HA, Bornman MS, Bouwman H, Chen A, Cohn BA, De Jager C, Henshel DS, Leipzig F, Leipzig JS, Lorenz EC, Snedeker SM, Stapleton D. The Pine River statement: human health consequences of DDT use. *Environ Health Perspect*. 2009 Sep;117(9):1359-67.
62. Engel SM, Zhu C, Berkowitz GS, Calafat AM, Silva MJ, Miodovnik A, Wolff MS. Prenatal phthalate exposure and performance on the Neonatal Behavioral Assessment Scale in a multiethnic birth cohort. *Neurotoxicology*. 2009 Jul;30(4):522-8.
63. Jurewicz J, Hanke W. Prenatal and childhood exposure to pesticides and neurobehavioral development: review of epidemiological studies. *Int J Occup Med Environ Health*. 2008;21(2):121-32.
64. Rosas, L.G. and Eskenazi, B. Pesticides and Child Neurodevelopment. *Current Opinion in Pediatrics* 2008; 20, 191-197.
65. Eskenazi, B., Rosas, L.G., Marks, A.R., Bradman, A., Harley, K., Holland, N., Johnson, C., Fenster, L., & Barr, D.B. Pesticide Toxicity and the Developing Brain. *Basic & Clinical Pharmacology & Toxicology* 2008;102, 228-336.
66. Engel SM, Berkowitz GS, Barr DB, Teitelbaum SL, Siskind J, Meisel SJ, et al. 2007. Prenatal organophosphate metabolite and organochlorine levels and performance on the Brazelton Neonatal Behavioral Assessment Scale in a multi-ethnic pregnancy cohort. *Am J Epidemiol* 165:1397-1404.
67. Schettler, T. et al. In Harm's Way: Toxic Threats to Child Development. A Report by the Greater Boston Physicians for Social Responsibility. 2001; Jan. Retrieved June 30, 2011 from: <http://www.psr.org/chapters/boston/resources/in-harms-way.html>.
68. Rauh V, Arundjadai S, Horton M, Perera F, Hoepner L, Barr DB, et al. Seven-year neurodevelopmental scores and prenatal exposure to chlorpyrifos, a common agricultural pesticide. *Environ Health Perspect* 2011; 119:1196-1201.; doi:10.1289/ehp.1003160.
69. US Environmental Protection Agency. Autism and Neurodevelopmental Disorders. 2010; Retrieved July 5, 2011 from: <http://www.epa.gov/nccer/childrenscenters/autism.html>.
70. Miodovnik, A, SM Engel, C Zhu, X Ye, LV Soorya, MJ Silva, AM Calafat and MS Wolff. Endocrine disruptors and childhood social impairment. *Neurotoxicology*. 2011. Retrieved September 30, 2011 from <http://dx.doi.org/10.1016/j.neuro.2010.12.009>.
71. Bouchard MF, Chevrier J, Harley KG, Kogut K, Vedar M, Calderon N, et al. Prenatal exposure to organophosphate pesticides and IQ in 7-year old children. *Environ Health Perspect* 2011;119:1189-1195.; doi:10.1289/ehp.1003185.

72. Herbstman JB, Sjodin A, Kurzon M, Lederman SA, Jones RS, Rauh V, Needham LL, Tang D, Niedzwiecki M, Wang RY, Perera F. Prenatal exposure to PBDEs and neurodevelopment. Environ Health Perspect. 2010 May;118(5):712-9.
73. The Barker Theory. History. 2011; Retrieved June 30, 2011 from:
<http://www.thebarkertheory.org/>.
74. Johnson RC. Early-life origins of adult disease: The significance of poor infant health and childhood poverty. 2007; Retrieved July 1, 2011, from:
http://gsppi.berkeley.edu/faculty/rjohnson/johnson_schoeni_earlylifeoriginsadultdisease_9-07.pdf
75. Gluckman PD, Hanson MA, Morton SM, Pinal CS. Life-long echoes--a critical analysis of the developmental origins of adult disease model. *Biology of the Neonate*; 2005 87(2):127-39. Retrieved July 1, 2011 from: <http://www.ncbi.nlm.nih.gov/pubmed/15564779>.
76. Nijland MJ, Ford SP, Nathanielsz PW. Prenatal origins of adult disease. *Current Opinion in Obstetrics & Gynecology*; 2008 Apr;20(2):132-8. Retrieved July 1, 2011 from:
<http://www.ncbi.nlm.nih.gov/pubmed/18388812>.
77. Schettler T 2011 Environmental Exposures, Infertility, and Related Reproductive Disorders: An Update. Collaborative on Health and Environment. Retrieved October 15, 2011 from:
http://www.healthandenvironment.org/infertility/peer_reviewed.
78. The President's Cancer Panel Report. Reducing Environmental Cancer Risk: What We Can Do Now. 2010; Apr. Retrieved September 30, 2011 from: <http://pcp.cancer.gov/>.
79. Planned Parenthood Federation of America. Green Choices Assessment Tool. 2010; Retrieved September 30, 2011 from: <http://envirn.org/pg/pages/view/4103/assessment-tools>.
80. Alliance of Nurses for Healthy Environments. Preconception-Prenatal Environmental Health Assessment. 2007; Retrieved September 30, 2011 from:
<http://envirn.org/pg/pages/view/4103/assessment-tools>.
81. Planned Parenthood Federation of America. Green Choices Patient Handout: Pesticides. 2010; Retrieved September 30, 2011 from:
<http://envirn.org/pg/pages/view/4103/assessment-tools>.
82. Program on Reproductive Health and the Environment. Toxic Matters brochure. 2010; Retrieved September 30, 2011 from:
<http://www.prhe.ucsf.edu/prhe/tmlinks.html>.
83. Magee-Womens Hospital of UPMC. Baby Steps to Green Parenting video. 2010; Retrieved September 30, 2011 from:
<http://www.youtube.com/upmc#p/c/03646D128774A6BB/7/wRbCXoZYxhA>.
84. Program on Reproductive Health and the Environment. Advancing Science-Based Policy Solutions. 2011; Retrieved September 30, 2011 from: <http://prhe.ucsf.edu/prhe/policy/index.html>.
85. Association of Reproductive Health Professionals. Environmental Impacts on Reproductive Health. 2009; Retrieved September 30, 2011 from:
<http://core.arhp.org/search/searchDetail.aspx?itemId=1432>.
86. PSR Reproductive Health Training. In Harm's Way Training materials. 2001; Retrieved September 30, 2011 from:
<http://www.psr.org/chapters/boston/resources/in-harms-way-materials-download.html>.
87. Fertility & Reproductive Health Working Group. Collaborative on Health and Environment. 2011; Retrieved September 30, 2011 from:
<http://www.healthandenvironment.org/initiatives/fertility>.