

Bibliography of Articles Reviewed ¹

1. Agrawal A, Heath AC, Lynskey MT. DSM-IV to DSM-5: the impact of proposed revisions on diagnosis of alcohol use disorders. *Addiction*. 2011 Nov;106(11):1935-43.
2. Agrawal A, Wetherill L, Bucholz KK, Kramer J, Kuperman S, Lynskey MT, Nurnberger JI Jr, Schuckit M, Tischfield JA, Edenberg HJ, Foroud T, Bierut LJ. Genetic influences on craving for alcohol. *Addict Behav*. 2013 Feb;38(2):1501-8.
3. Baer JS, Ginzler JA, Peterson PL. DSM-IV alcohol and substance abuse and dependence in homeless youth. *J Stud Alcohol*. 2003 Jan;64(1):5-14.
4. Borges G, Cherpitel CJ, Ye Y, Bond J, Cremonte M, Moskalewicz J, Swiatkiewicz G. Threshold and optimal cut-points for alcohol use disorders among patients in the emergency department. *Alcohol Clin Exp Res*. 2011 Jul;35(7):1270-6.
5. Casey M, Adamson G, Shevlin M, McKinney A. The role of craving in AUDs: dimensionality and Differential Functioning in the DSM-5. *Drug Alcohol Depend*. 2012 Sep 1;125(1-2):75-80.
6. Chignon JM, Jacquesy L, Mennad M, Terki A, Huttin F, Martin P, Chabannes JP. Self-assessment questionnaire of alcoholic craving (ECCA Questionnaire: Behavior and Cognition in Relation to Alcohol: French translation and validation of the Obsessive-Compulsive Drinking Scale. *Encephale*. 1998 Sep-Oct;24(5):426-34.
7. Connolly KM, Coffey SF, Baschnagel JS, Drobles DJ, Saladin ME. Evaluation of the Alcohol Craving Questionnaire-Now factor structures: application of a cue reactivity paradigm. *Drug Alcohol Depend*. 2009 Jul 1;103(1-2):84-91.
8. de Bruijn C, Korzec A, Koerselman F, van Den Brink W. Craving and withdrawal as core symptoms of alcohol dependence. *J Nerv Ment Dis*. 2004 Jul;192(7):494-502.
9. de Bruijn C, van den Brink W, de Graaf R, Vollebergh WA. The craving withdrawal model for alcoholism: towards the DSM-V. Improving the discriminant validity of alcohol use disorder diagnosis. *Alcohol Alcohol*. 2005 Jul-Aug;40(4):314-22.
10. de Bruijn C, van den Brink W, de Graaf R, Vollebergh WA. Alcohol abuse and dependence criteria as predictors of a chronic course of alcohol use disorders in the general population. *Alcohol Alcohol*. 2005 Sep-Oct;40(5):441-6.
11. Doyle SR, Donovan DM. A validation study of the alcohol dependence scale. *J Stud Alcohol Drugs*. 2009 Sep;70(5):689-99.
12. Ehlers CL, Wilhelmsen KC. Genomic scan for alcohol craving in Mission Indians. *Psychiatr Genet*. 2005 Mar;15(1):71-5.
13. Keyes KM, Krueger RF, Grant BF, Hasin DS. Alcohol craving and the dimensionality of alcohol disorders. *Psychol Med*. 2011 Mar;41(3):629-40.

¹ Weinstein J, Wagner KO, Singleton E. Diagnostic implications of craving in assessing disorders for commonly-abused substances. Poster session presented at: Preventing Drug Abuse and its Consequences New Approaches and Best Practices. American Public Health Association 141st Annual Meeting & Exposition; 2013 Nov 4; Boston, MA.

14. Kramer JR, Chan G, Hesselbrock VM, Kuperman S, Bucholz KK, Edenberg HJ, Schuckit MA, Nurnberger JI, Foroud T, Dick DM, Bierut LJ, Porjesz B. A principal components analysis of the abbreviated Desires for Alcohol Questionnaire (DAQ). *J Stud Alcohol Drugs*. 2010 Jan;71(1):150-5.
15. MacKillop J, Miranda R Jr, Monti PM, Ray LA, Murphy JG, Rohsenow DJ, McGeary JE, Swift RM, Tidey JW, Gwaltney CJ. Alcohol demand, delayed reward discounting, and craving in relation to drinking and alcohol use disorders. *J Abnorm Psychol*. 2010 Feb;119(1):106-14.
16. Martin CS, Kaczynski NA, Maisto SA, Bukstein OM, Moss HB. Patterns of DSM-IV alcohol abuse and dependence symptoms in adolescent drinkers. *J Stud Alcohol*. 1995 Nov;56(6):672-80.
17. Manjunatha N, Saddichha S, Sinha BN, Khess CR, Isaac MK. Chronology of alcohol dependence: implications in prevention. *Indian J Community Med*. 2008 Oct;33(4):233-7.
18. Peer K, Rennert L, Lynch KG, Farrer L, Gelernter J, Kranzler HR. Prevalence of DSM-IV and DSM-5 alcohol, cocaine, opioid, and cannabis use disorders in a largely substance dependent sample. *Drug Alcohol Depend*. 2013 Jan 1;127(1-3):215-9.
19. Berenzon S, Robles R, Reed GM, Medina-Mora ME. Gender-related issues in the diagnosis and classification of alcohol use disorders among Mexican patients seeking specialized services. *Rev Bras Psiquiatr*. 2011 May;33 Suppl 1:S109-24.
20. Hasin DS, Fenton MC, Beseler C, Park JY, Wall MM. Analyses related to the development of DSM-5 criteria for substance use related disorders: 2. Proposed DSM-5 criteria for alcohol, cannabis, cocaine and heroin disorders in 663 substance abuse patients. *Drug Alcohol Depend*. 2012 Apr 1;122(1-2):28-37.
21. Cherpitel CJ, Borges G, Ye Y, Bond J, Cremonte M, Moskalewicz J, Swiatkiewicz G. Performance of a craving criterion in DSM alcohol use disorders. *J Stud Alcohol Drugs*. 2010 Sep;71(5):674-84.
22. Mewton L, Slade T, McBride O, Grove R, Teesson M. An evaluation of the proposed DSM-5 alcohol use disorder criteria using Australian national data. *Addiction*. 2011 May;106(5):941-50.
23. Brower KJ, Maddahian E, Blow FC, Beresford TP. A comparison of self-reported symptoms and DSM-III-R criteria for cocaine withdrawal. *Am J Drug Alcohol Abuse*. 1988;14(3):347-56.
24. Iraurgi Castillo I, Trujols Albet J, Jiménez-Lerma JM, Landabaso M. Reliability and validity of the Spanish adaptation of the brief form of the Cocaine Craving Questionnaire-Now (CCQ-N-10). *Adicciones*. 2009;21(3):195-202.
25. Cornelius JR, Chung T, Martin C, Wood DS, Clark DB. Cannabis withdrawal is common among treatment-seeking adolescents with cannabis dependence and major depression, and is associated with rapid relapse to dependence. *Addict Behav*. 2008 Nov;33(11):1500-5.
26. Ehlers CL, Gizer IR, Vieten C, Wilhelmsen KC. Linkage analyses of cannabis dependence, craving, and withdrawal in the San Francisco family study. *Am J Med Genet B Neuropsychiatr Genet*. 2010 Apr 5;153B(3):802-11.
27. Baker TB, Breslau N, Covey L, Shiffman S. DSM criteria for tobacco use disorder and tobacco withdrawal: a critique and proposed revisions for DSM-5. *Addiction*. 2012 Feb;107(2):263-75.

28. Chen LS, Baker TB, Gruzca R, Wang JC, Johnson EO, Breslau N, Hatsukami D, Smith SS, Saccone N, Saccone S, Rice JP, Goate AM, Bierut LJ. Dissection of the phenotypic and genotypic associations with nicotine dependence. *Nicotine Tob Res.* 2012 Apr;14(4):425-33.
29. Chung T, Martin CS, Maisto SA, Cornelius JR, Clark DB. Greater prevalence of proposed DSM-5 nicotine use disorder compared to DSM-IV nicotine dependence in treated adolescents and young adults. *Addiction.* 2012 Apr;107(4):810-8.
30. Donny EC, Griffin KM, Shiffman S, Sayette MA. The relationship between cigarette use, nicotine dependence, and craving in laboratory volunteers. *Nicotine Tob Res.* 2008 May;10(5):934-42.
31. Etter JF. A comparison of the content-, construct- and predictive validity of the cigarette dependence scale and the Fagerström test for nicotine dependence. *Drug Alcohol Depend.* 2005 Mar 7;77(3):259-68.
32. Lesch OM, Dvorak A, Hertling I, Klingler A, Kunze M, Ramskogler K, Saletu-Zyhlarz G, Schoberberger R, Walter H. The Austrian multicentre study on smoking: subgroups of nicotine dependence and their craving. *Neuropsychobiology.* 2004;50(1):78-88.
33. Shiffman S, Waters A, Hickcox M. The nicotine dependence syndrome scale: a multidimensional measure of nicotine dependence. *Nicotine Tob Res.* 2004 Apr;6(2):327-48.
34. Shmulewitz D, Keyes KM, Wall MM, Aharonovich E, Aivadyan C, Greenstein E, Spivak B, Weizman A, Frisch A, Grant BF, Hasin D. Nicotine dependence, abuse and craving: dimensionality in an Israeli sample. *Addiction.* 2011 Sep;106(9):1675-86.
35. Shmulewitz D, Wall MM, Aharonovich E, Spivak B, Weizman A, Frisch A, Grant BF, Hasin D. Validity of proposed DSM-5 diagnostic criteria for nicotine use disorder: results from 734 Israeli lifetime smokers. *Psychol Med.* 2013 Jan 14:1-12.