



Postpartum contraceptive behavior and delay of a second pregnancy among teen mothers in the Subsequent Pregnancy Program



SUBSEQUENT PREGNANCY PROGRAM

Pat Mosena, Ph.D.
American Public Health Association Annual Meeting
New Orleans, LA
Nov. 15-19, 2014

Supported by the Illinois Department of Public Health




A Home Visiting Program Designed To Help Adolescent Mothers

- Delay Second Pregnancy
- Graduate from High School
- "Be the Best Mother I Can Be"





SPP Participant Characteristics




- Mean Age: 16.7
- Baby's Age: 9.3 months
- Single: 95%
- Daughter of teen mother: 51%

Postpartum contraceptive behavior and delay of a second pregnancy among teen mothers in the Subsequent Pregnancy Program







Postpartum contraceptive behavior and delay of a second pregnancy among teen mothers in the Subsequent Pregnancy Program

Home Visitor Contacts

Type of Participant Contacts by SPP Home Visitors	
Types of contacts	N=256
Successful home visits	1,850
Total number of contacts with young mothers in Group	1,127
Successful phone contacts	3,846
Other successful contacts	1,603
Total contacts	8,426

Role of SPP Home Visitor

Effectiveness of Subsequent Pregnancy Program Model is dependent upon the personal relationship between the Home Visitor and each young mother on her caseload (n=25).

The SPP Home Visitor becomes surrogate mother, sister, school, family, and welfare advocate.

She provides: New information and knowledge, ongoing individual support, and a long-term commitment to each young mother and her child.