

Evidence- Based Teen Pregnancy Prevention Programs at a Glance

*This table was developed by Child Trends under contract number GS-10F-0030R for the Office of Adolescent Health; U.S. Department of Health and Human Services as a technical assistance product for use with OAH grant programs.



This table provides a brief overview of the program models on the HHS Teen Pregnancy Prevention Evidence Review website that are implementation ready and is intended to be used in conjunction with other resources when selecting a program model for implementation. For additional information, please visit <http://www.hhs.gov/ash/oah/resources-and-publications/db/>.

Note: Grantees may propose to implement an evidence-based TPP program with a population or in a setting other than those identified in the program's original evaluation; however, as a reminder, proposed adaptations must be shared with OAH and may require approval.

| Program Name | Program Type | Outcomes | | | | | Duration of Outcomes | Activities | | | Train-the-trainer | Train-the-facilitator | # of Sessions | Session Length | Program Duration | Setting | Target Population | Age | Languages |
|--|--------------|------------------------|-------------------|------------------------------|--------------------------------------|--------------------------------|-------------------------------------|------------------------------------|-------------------|--------------------------|-------------------|-----------------------|---------------|----------------|------------------|----------------|-----------------------|------------------------|-----------|
| | | Recent Sexual Activity | # Sexual Partners | Frequency of Sexual Activity | Contraceptive Use and/or/Consistency | Sexual Initiation & Abstinence | | Technology (audio-visual/internet) | Parent Engagement | Service Learning Project | | | | | | | | | |
| Aban Aya Youth Project | SE | ● | | | | | post-intervention | ✓ | ✓ | | | | 16-21 | 45 min | 4 years | S*, Cm | (♀/♂)*, AA* | 10-14* | En |
| Adult Identity Mentoring (Project AIM) | YD | ● | | | | | 3 mos | | | | | ✓ | 12 | 50 min | 6 weeks | S*, Cm | (♀/♂)*, All (AA)*, Lw | 11-14 (12-14)* | En, Sp |
| All4You! | YA | | | ● | ● | | 6 mos | ✓ | ✓ | ✓ | ✓ | ✓ | 14 | 70-140 min | 7 weeks | Sp* | (♀/♂)*, All* | 14-18 (14-17)* | En |
| Be Proud! Be Responsible! | SE | ● | ● | ● | ● | | 3-12 mos | ✓ | | ✓ | ✓ | ✓ | 6 | 60 min | 6 days | C, S, As*, Cm* | (♀/♂)*, All (AA)* | 11-18 (11-13)* | En |
| Be Proud! Be Responsible! Be Protective! | Pp* | | ● | | | | 12 mos | ✓ | | ✓ | ✓ | ✓ | 8 | 60 min | 8 days | S, Sp*, As, Cm | ♀*, All (H, AA)* | 12-18 (14-20)* | En |
| Becoming a Responsible Teen (BART) | SE | ● | | | | | 12 mos | ✓ | | ✓ | ✓ | ✓ | 8 | 90-120 min | 8 weeks | C*, As | (♀/♂)*, All (AA)* | 14-18* | En |
| Children's Aid Society (CAS) Carrera Program | YD | ● | | | | ● | 3 yrs after program start for girls | ✓ | ✓ | ✓ | | | Daily | 2-3 hours | 7 years | S, As*, Cm | (♀/♂)*, All (H, AA)* | 10-12 at program entry | En, Sp |
| iCuidate! | SE | ● | ● | | ● | | 3-12 mos | ✓ | | ✓ | ✓ | ✓ | 6 | 60 min | 2 days + | S, As*, Cm* | (♀/♂)*, H* | 13-18* | En, Sp |
| Draw the Line/Respect the Line | SE | ● | | | ● | | 12 mos post-intervention; boys only | ✓ | ✓ | ✓ | ✓ | ✓ | 19 | 45 min | 3 years | S* | (♀/♂)*, All* | 11-14* | En, Sp |
| Families Talking Together (FTT) | F | | | ● | ● | | 9-mos | | ✓ | | | ✓ | 11 modules | Varies | Varies | C*, As*, Cm* | (♀/♂)*, H*, AA* | 10-14 (11-14)* | En, Sp |
| FOCUS | SE | | ● | | | | 11-mos | ✓ | | ✓ | | | 4 | 120 min | 8 hours | S, Sp*, Cm | ♀*, All* | 16+ (17+)* | En |
| Get Real | SE | | | | ● | | post-intervention | | ✓ | ✓ | ✓ | ✓ | 27 | 45 min | 3 years | S* | (♀/♂)*, All* | 11-14* | En |

Program Type

SE - Sexual health education
AE - Abstinence education
YD - Youth development
CB - Clinic based
F - Program for families

YA - Youth in alternative schools
HIV - Parent with history of HIV
STD - History of STD
SD - Substance dependent

RA - Runaway youth
IY - Incarcerated youth
Pp - Pregnant/parenting
P - Parenting

Outcomes

● Evidence of effect

Settings

S - School
C - Clinic
As - After school program
Cm - Community based

Sp - Specialized setting
* - Evaluated setting

Target Population

♀/♂ - Female/Male
AA - African American
H - Hispanic
AI/AN - American Indian/Alaskan Native
W - White

AS - Asian
All - All races/ethnicities
Lw - Low income
* - Evaluated population

Available Languages

En - English
Sp - Spanish
O - Other

Evidence- Based Teen Pregnancy Prevention Programs at a Glance



| Program Name | Program Type | Outcomes | | | | | Duration of Outcomes | Activities | | | Train-the-Trainer | Train-the-facilitator | # of Sessions | Session Length | Program Duration | Setting | Target Population | Age | Languages | |
|---|--------------|------------------------|-------------------|------------------------------|--------------------------------------|--------------------------------|--|------------------------------------|-------------------|--------------------------|-------------------|-----------------------|---------------|----------------|-----------------------|--------------|-----------------------|-------------------|----------------|----|
| | | Recent Sexual Activity | # Sexual Partners | Frequency of Sexual Activity | Contraceptive Use and/or Consistency | Sexual Initiation & Abstinence | | Technology (audio-visual/internet) | Parent Engagement | Service Learning Project | | | | | | | | | | |
| Health Improvement Project for Teens (HIP Teens) | SE | ● | ● | ● | ● | | 6-mos | ✓ | | | ✓ | | 4 | 120 min | 8 hours | C*, As*, Cm* | ♀*, All | 15-19* | En | |
| Heritage Keepers Abstinence Education | AE | | | | | ● | 12 mos | ✓ | ✓ | | | ✓ | 5 or 10 | 45 or 90 min | 5-10 days | S* | (♀/♂)*, All* | 11-18 (12-15)* | En, Sp | |
| HORIZONS | SE | | | ● | | ● | 12 mos | | ✓ | | | | 2 | 4 hours | 8 hours | C*, Cm | ♀*, AA* | 15-21* | En | |
| It's Your Game: Keep it Real (IYG) | SE | | ● | ● | ● | | 12 mos | ✓ | | ✓ | ✓ | ✓ | 24 | 50 min | 2 years | S*, As | (♀/♂)*, All* | 12-14 (12-13)* | En | |
| Making a Difference! | AE | ● | | | | | 3 mos | ✓ | | | ✓ | ✓ | 8 | 60 min | 8 hours | S, As*, Cm* | (♀/♂)*, All (AA)* | 11-18 (11-13)* | En | |
| Making Proud Choices! | SE | | | | ● | | 12 mos | ✓ | | | ✓ | ✓ | ✓ | 8 | 60 min | 8 hours | S, As*, Cm* | (♀/♂)*, All (AA)* | 11-18 (11-13)* | En |
| Prime Time | YD | ● | | | | | 12 mos | | ✓ | ✓ | | | Varies | Varies | 18 mos | C* | ♀*, All* | 13-17* | En | |
| Project IMAGE | STD* | | | | | ● | 12 mos | | ✓ | | | | 7-9 | 1-4 hours | 2-5 weeks | C* | ♀*, AA*, H* | 14-18* | En | |
| Project TALC | F, HIV* | | | | | ● | 4 yrs after program start | | ✓ | | ✓ | | 24 | 2-3 hours | 12 weeks to 4-6 years | Cm* | (♀/♂)*, All (H, AA)* | 11-18* | En, O | |
| Promoting Health Among Teens! Abstinence-Only Intervention | AE | ● | | | ● | | 3-24 mos | ✓ | ✓ | | ✓ | ✓ | 8 | 60 min | 8 hours | S, As*, Cm* | (♀/♂)*, All (AA)* | 11-18 (11-13)* | En | |
| Promoting Health Among Teens! Comprehensive Abstinence and Safer Sex Intervention | SE | | ● | | | | 3-24 mos | ✓ | | ✓ | ✓ | ✓ | 12 | 45-60 min | 8-12 hours | S, As*, Cm* | (♀/♂)*, All (AA)*, Lw | 11-18 (11-13)* | En | |
| Raising Healthy Children (formerly known as the Seattle Social Development Project) | YD | | ● | | ● | ● | Ranges from when participants were 18 yrs - 27 yrs old | | ✓ | | ✓ | ✓ | Varies | Varies | 7 years | S* | (♀/♂)*, All* | 5-12 (6-12)* | En | |

Program Type

SE - Sexual health education
 AE - Abstinence education
 YD - Youth development
 CB - Clinic based
 F - Program for families

YA - Youth in alternative schools
 HIV - Parent with history of HIV
 STD - History of STD
 SD - Substance dependent

RA - Runaway youth
 IY - Incarcerated youth
 Pp - Pregnant/parenting
 P - Parenting

Outcomes

● Evidence of effect

Settings

S - School
 C - Clinic
 As - After school program
 Cm - Community based

Sp - Specialized setting
 * - Evaluated setting

Target Population

♀/♂ - Female/Male
 AA - African American
 H - Hispanic
 AI/AN - American Indian/Alaskan Native
 W - White

AS - Asian
 All - All races/ethnicities
 Lw - Low income
 * - Evaluated population

Available Languages

En - English
 Sp - Spanish
 O - Other

Evidence- Based Teen Pregnancy Prevention Programs at a Glance



| Program Name | Program Type | Outcomes | | | | | Duration of Outcomes | Activities | | | Train-the-trainer | Train-the-facilitator | # of Sessions | Session Length | Program Duration | Setting | Target Population | Age | Languages |
|---|--------------|------------------------|-------------------|------------------------------|--------------------------------------|--------------------------------|-----------------------------|------------------------------------|-------------------|--------------------------|-------------------|-----------------------|---------------|----------------|------------------|----------------|----------------------|----------------|-----------|
| | | Recent Sexual Activity | # Sexual Partners | Frequency of Sexual Activity | Contraceptive Use and/or/Consistency | Sexual Initiation & Abstinence | | Technology (audio-visual/internet) | Parent Engagement | Service Learning Project | | | | | | | | | |
| Reducing the Risk | SE | | | ● | | | 18 mos | | | ✓ | ✓ | ✓ | 16 | 45 min | 5-8 weeks | S* | (♀/♂)*, All* | 13-18 (14-18)* | En, Sp |
| Respeto/Proteger | P* | | | ● | | | 3-6 mos | ✓ | | ✓ | | ✓ | 6 | 120 min | 12 hours | C*, Cm* | (♀/♂)*, H* | 14-24* | En, Sp |
| Rikers Health Advocacy Program (RHAP) | IY | | | ● | | | 10 mos after program start | | | | | ✓ | 4 | 60 min | 2 weeks | S, Sp*, Cm | ♂*, All* | 16-19* | En |
| Safer Choices | SE | | | ● | | | 2 yrs after program start | | ✓ | ✓ | ✓ | ✓ | 21 | 45 min | 2 years | S* | (♀/♂)*, All* | 14-16 (14-15)* | En |
| Safer Sex Intervention | CB, STD* | ● | | | | | 6 mos | ✓ | | ✓ | | | 4 | 10-50 min | 6 mos | C*, Cm | ♀*, All* | 13-23 (<24)* | En |
| Seventeen Days | CB | ● | | | | ● | 6 mos | ✓ | | ✓ | | ✓ | 1+ | 45 min+ | 45 min+ | C*, Cm | ♀*, All (AA, W)* | 14-18* | En |
| Sexual Health and Adolescent Prevention (SHARP) | IY | | | ● | | | 12 mos | ✓ | | ✓ | | | 1 | 3.5-4 hours | 1 day | Sp* | (♀/♂)*, All* | 15-19* | En |
| SiHLE | SE | | | ● | ● | | 12 mos | | | ✓ | | | 4 | 4 hours | 16 hours | C*, Cm | ♀*, AA* | 14-18* | En |
| Sisters Saving Sisters | SE | ● | ● | | | ● | 12 mos | ✓ | | ✓ | ✓ | ✓ | 1 | 4.5 hours | 4.5 hours | C*, Cm | ♀*, AA*, H* | 11-18 (12-19)* | En, Sp |
| STRIVE | RA* | ● | | | | | 12 mos | | ✓ | | | | 5 | 90-120 min | 5 weeks | Cm* | (♀/♂)*, All (H, AA)* | 12-17* | En |
| Teen Health Project | SE | | | | ● | | 12 mos | ✓ | ✓ | ✓ | ✓ | | 5 | 90-180 min | 6 mos | Cm* | (♀/♂)*, All*, Lw* | 12-17* | En |
| Teen Outreach Program (TOP) | YD | | | | | ● | immediate post-intervention | | | ✓ | | ✓ | 25 | Varies | 9 mos | S*, Sp, As, Cm | (♀/♂)*, All* | 12-19 (14-18)* | En, Sp, O |

Program Type

SE - Sexual health education
 AE - Abstinence education
 YD - Youth development
 CB - Clinic based
 F - Program for families
 YA - Youth in alternative schools
 IY - Incarcerated youth
 PP - Pregnant/parenting
 P - Parenting
 STD - History of STD
 SD - Substance dependent

RA - Runaway youth
 HIV - Parent with history of HIV
 STD - History of STD

Outcomes

● Evidence of effect

Settings

S - School
 C - Clinic
 As - After school program
 Cm - Community based

Sp - Specialized setting
 * - Evaluated setting

Target Population

♀/♂ - Female/Male
 AA - African American
 H - Hispanic
 AI/AN - American Indian/Alaskan Native
 W - White

AS - Asian
 All - All races/ethnicities
 Lw - Low income
 * - Evaluated population

Available Languages

En - English
 Sp - Spanish
 O - Other